

Memorandum

To: Mariners' Advisory Committee Members and Interested Parties

From: Captain Drew Hodgens

Re: Meeting Agenda - March 9, 2023

Your presence is requested at the Quarterly Meeting of the above-mentioned committee on Thursday, March 9, 2023 at 1100 hours.

Agenda

I Approval of Minutes – from the December 2022 meeting

Introduction of all in attendance

II. Reports

A.	Treasurer's Report & Membership Report	- Captain Drew Hodgens
В.	USCG Report	- Captain Jonathan Theel
C.	USACE Report	- Mr. Tim Rooney
D.	NOAA Reports	- Mr. Ryan Wartick - Mr. Chris DiVeglio - Ms. Katie Kirk

- III. Unfinished Business
- IV. New Business
- V. Open Discussion
- VI. Adjournment



<u>Memorandum</u>

To: Mariners' Advisory Committee Members and Interested PartiesFrom: Captain Rick Iuliucci, TreasurerRe: Treasurer's Report for March 9, 2023		
Balance – from December 5, 2022	\$	6,775.40
Deposits (Dec. 2022- March. 2023)		
Total Deposits during the period	\$	14,399.65
INCOME BALANCE	\$	21,175.05
Disbursements (September 2022 - December 2022)		
Popi's Restaurant Email Service (G-mail- \$38.88 month @ 3 months) Email service- Twild (\$89.95. Per month @ 3 months) Check for OBMG <u>PNC Service Fees *(Service fee increase to \$3.00 per month 1/1/2</u>	23)	\$ 5,569.64 \$ 116.64 \$ 269.85 \$ 500.00 \$ 8.00
- TOTAL DISBURSEMENTS (June 2022-Sept. 2022)		\$ 6,464.13
BALANCE as of March 5, 2022	\$	5 14,710.92



1. Seasonal Alerts

a. Seasonal ice alert was returned to normal seasonal alert on February 28, 2023 after an unseasonably warm winter with the exception of Winter Storm Elliot in December.

2. Marine Safety Information Bulletins

- a. MSIB 18-22 Right Whale Speed Restriction still in effect until April 30, 2023.
- b. MSIB 01-23 from CG-INV on Reporting Sexual Misconduct on U.S. vessels was posted on homeport. In short, recent changes to the law now require the owner, master, or managing operator of a U.S. flagged vessel to report any complaint or incident of harassment, sexual harassment, or sexual assault to the Coast Guard that violates company policy. To help facilitate reporting, the Coast Guard has consolidated reporting for all types of sexual misconduct and established multiple reporting options as detailed in the MSIB attachment. The reporting options include a CGIS Tips App, and/or the email address CGISTIPS@uscg.mil which can be used by all reporting sources. CGIS will launch an investigation into all reports.
- 3. Marcus Hook Range Dredging
 - a. The annual maintenance project for Marcus Hook range wrapped up in February. During the two-month period of restrictions to Marcus Hook Anchorage, we started posting the reservation list daily on the MAC webpage. If anyone has feedback or questions for the CG on that process, please let the WWM division know.
- 4. Inspections Activities
 - a. Beginning May 8, 2023, the final rule implementing Transportation Worker Identification Credential (TWIC)-Reader Requirements will go into force. The rule requires owners and operators of certain vessels and facilities regulated by the Coast Guard to conduct electronic inspections of TWIC cards as an access control measure. This final rule also implements recordkeeping requirements and security plan amendments that would incorporate these TWIC requirements. Specifically, this regulation applies to the following facilities and vessels:
 - Vessels that carry certain dangerous cargo (CDC) in bulk;
 - Vessels engaged in towing another Risk Group A vessel;
 - Facilities that handle CDC in bulk; and
 - Facilities that receive vessels certificated to carry more than 1,000 passengers.

Please be advised that in December 2022, the Coast Guard published a notice of proposed rulemaking to delay implementation for the following facilities until May 8, 2026:

- Facilities that handle certain dangerous cargoes in bulk, but do not transfer those cargoes to or from a vessel;
- facilities that handle certain dangerous cargoes in bulk, and do transfer those cargoes to or from a vessel;
- and facilities that receive vessels carrying certain dangerous cargoes in bulk, but do not, during that vessel-to-facility interface, transfer those bulk cargoes to or from those vessels.
- b. Sector Delaware Bay has observed an upward trend in Pilot Ladder deficiencies over the last few months. This includes pilot ladders not meeting the minimum standards prescribed by the Safety of Life at Sea (SOLAS) Convention. This presents an increased risk to the Delaware Bay pilots, Coast Guard boarding teams, and ship's crew. In addition, Sector Delaware Bay is being notified that when ships arrive at terminals within the Delaware River, the crew is being forced to dangerously jump the gap between the gangway and the pier to securely establish the gangway to the dock. Sector Delaware Bay is investigating these incidents to mitigate the risk.
- 5. Cyber Security Highlights
 - a. The MTS remains an enticing target for cybercriminals or state and non-state malicious cyber actors. As diplomatic and economic pressure on Russia to discontinue its invasion of Ukraine mounts, the risk of cyberattacks on U.S. critical infrastructure is assessed to be elevated. Please visit CISA's new page for its "Shields Up" campaign to keep up to date on the latest technical and non-technical alerts and notifications: www.cisa.gov/shields-up.
 - b. In case of an actual cybersecurity incident or even just anomalous activity, MTS stakeholders should immediately make three notifications to federal authorities. Contact information for CISA Central and FBI Cyber Watch are available on the Shields Up page. The National Response Center (NRC), which can be reached at 1-800-424-8802, will provide notification to the USCG Sector. These notifications will trigger resources and interagency coordination to help you mitigate damage to your systems, and ultimately the MTS.
 - c. All MTS vessels and facilities experiencing a cyber-attack or suspicious cyber-activity should also report the activity to their local FBI Field Office or file a complaint through the FBI's Internet Crime Complaint Center at <u>www.IC3.gov</u>, as well as the MTS Information Sharing and Analysis Center (MTS-ISAC) via email at <u>soc@mtsisac.org</u>. The MTS Information Sharing and Analysis Center (MTS-ISAC) is a resource for timely reporting of cyber threats toward the MTS. It is highly recommended you subscribe to their alerts and bulletins.
- 6. Offshore Wind Energy Lease Areas
 - a. Sector Delaware Bay has been participating in meetings with offshore wind developers and District Five Waterways staff regarding five wind energy lease areas off the coasts of NJ,

DE, and MD and an additional four lease areas in the New York Bight that impact the Delaware Bay and NJ coast.

b. If any MAC members have questions or concerns as these projects move forward, you can reach out to LCDR Jordan Marshall (Waterways Management Division), CDR Jodi Min (Prevention Department Head), or Mr. Robert Webb (Marine Planning Specialist) at District Five Waterways.

Sector Delaware Bay Aids to Navigation (ATON) Updates

1. CGC WILLIAM TATE

- c. Conducting Seasonal reliefs. Upper Delaware River buoys will be restored by 15 March.
- d. Seasonal buoys from 1DR up to 66 have proposed to be year around ice hulls. The Fifth District is looking at most effective and efficient lighting means. Approval pending.
- 2. Aids To Navigation Team (ANT) Philadelphia
 - a. Reedy Island Gap 1 light was rebuilt using a chinook from the Air National Guard to place a new sinker on the dike. ANT crews then built a spindle and are waiting on the brackets to place the new dayboards on.
 - b. Eagle Point Rear Range was inspected and deemed safe to climb and is now watching properly.
 - c. All seasonal buoys will be restored by May.
- **3.** Aids to Navigation Team (ANT) Cape May
 - a. Conducting Seasonal reliefs.

District Five Aids to Navigation Updates


- 1. DE Murderkill River
 - a. Following dredging the buoys have been re-established in the Murderkill River. Warning Daybeacon A (LLNR 2300) has been changed back to Light 1, Range Front Warning Light has been changed back to Range Front Light 7 and the Rear Range Light has been relighted.
- 2. DE NJ Delaware River Pea Patch Island Dike
 - a. Pea Patch Island Dike Warning Light E (LLNR 2847) has been rebuilt.
- 3. DE Delaware Bay-Harbor of Refuge
 - a. New rotating LED Light has been installed in Harbor of Refuge Light (LLNR 1530). The new light should be more reliable and due to the LED reduced power consumption the Sound Signal will operate year-round.
- 4. Rebuild Fisher Point Range Front and Rear Lights
 - a. Design is complete and we are waiting on permits, both front and rear ranges will be rebuilt in the river. Bottom core samples were taken in September 2021.

- 5. Rebuild Liston/Reedy Range Lights
 - a. This project entails the relocation/rebuild of front and rear structures for both ranges. The new range front light will be constructed at the intersection of both ranges and will serve as a combined range front structure. Separate rear structures will be constructed. Consolations with SHPO are complete, ACOE Permits received waiting on State of Delaware permits.
- 6. Rebuild New Castle Front/Rear Range Lights
 - a. This project will entail the relocation of the front and rear structures for the range. The existing range front and rear towers located on land will be demolished. The new range front light will be constructed near the edge of the channel. The new rear light will be constructed near the shoreline in front of the existing front tower in approx. 22 feet of water. Both new structures will have mono-pile type foundations driven into the river bottom. All optics will be changed to solar power. Consolations with SHPO are complete and the design is 100%. Waiting on permits.
- 7. Mud Island Upper and Beverly Lower Ranges
 - a. Range lights are scheduled to be converted to LEDs this year. An Advance Notice will run in the LNM before the conversions are completed. This upgrade from incandescence lamps to LED optics, at the scheduled recharge date, is in alignment with the Commandant's Strategic Plan to increase the use of LEDs on AtoN systems reducing the amount of power required, thereby lowering the number a batteries required which in turn will reduce the life cycle cost, reduce hazardous waste and reduce ANT work load. Feedback after the conversion is appreciated.
- 8. Brown Shoal Light (LLNR 1535) Approved for funding and rebuild in FY24.

Fifth Coast Guard District Marine Planning Meeting Notes

HIGHLIGHTS

• The Consolidated Port Approaches Study was released to the public in September 2022. In general, the new proposed routing measures provide wider traffic lanes for shipping, expands the Bay's Precautionary Area, and provides an intermediate shipping lane between the nearshore route and the offshore route (St. Lucie to New York Fairway). It also includes a proposal for a new fairway anchorage on the southern approach to the Delaware Bay to assist with ship congestion in the offshore anchorages and preserve space for safe anchoring from offshore wind development. The Study will be used to inform a future rulemaking which has been routed at CGHQ.



DETAILED BACKGROUND INFORMATION

Shipping Safety Fairways

- Section 70003 of Title 46 United States Code directs the Secretary of the department in which the Coast Guard resides to designate necessary fairways that provide safe access routes for vessels proceeding to and from U.S. ports. Designation as a fairway keeps an area free of fixed structures. This designation recognizes the generally paramount right of navigation over other uses in the designated areas. The Coast Guard is coordinating its possible establishment of fairways along the Atlantic Coast, as well as complementary port approaches and international entry and departure zones, with the Bureau of Ocean Energy Management (BOEM) to minimize the impact on offshore energy leases.
- Under 46 U.S.C. 70003, fairways are designated through federal regulations. Regulations governing fairways in 33 CFR part 166 provide that fixed offshore structures are not permitted


within fairways because these structures would jeopardize safe navigation. The Coast Guard may establish, modify, or relocate existing fairways to improve navigation safety or accommodate offshore activities such as mineral exploitation and exploration.

• Before establishing or adjusting fairways, 46 U.S.C. 70003(c)(1) requires the Coast Guard to study potential traffic density and assess the need for safe access routes for vessels. During this process, the Coast Guard considers the views of the maritime community, environmental groups, and other stakeholders to reconcile the need for safe access routes with reasonable waterway uses. The Coast Guard attempts to recognize and minimize each identifiable cost, and balance cost impacts against the needs of safe navigation.

Background on the Atlantic Coast Port Access Route Study (ACPARS)

- On May 11, 2011, the Coast Guard chartered an ACPARS workgroup to address the potential navigational safety risks associated with offshore developments and to support future marine planning efforts. The workgroup analyzed the entire Atlantic Coast and focused on waters located seaward of existing port approaches within the U.S. Exclusive Economic Zone (EEZ). The Coast Guard used Automatic Identification System (AIS) data and information from shipping organizations to identify traditional navigation routes.
- The Coast Guard announced the availability of the final ACPARS report and requested public comment in the Federal Register on March 14, 2016 (81 FR 13307). After considering comments submitted in response to that notice, the Coast Guard determined that the final report was complete as published and announced this finding in the Federal Register on April 5, 2017 (82 FR 16510).
- The ACPARS workgroup identified navigation safety corridors along the Atlantic Coast that have the width necessary for navigation and sufficient buffer areas. The ACPARS Final Report identified deep draft routes for navigation and recommended that they be given priority consideration over other uses for consistency with the United Nations Convention of the Law of the Sea (UNCLOS). Article 78 of UNCLOS states that, "[t]he exercise of the rights of the coastal State over the continental shelf must not infringe or result in any unjustifiable interference with navigation and other rights and freedoms of other States as provided for in this Convention."

- The ACPARS final report also identified coastal navigation routes and safety corridors appropriate width for seagoing tows. The report recommended that the Coast Guard consider developing the navigation safety corridors it identifies in its Appendix VIIwhich include ones for deep draft vessels and closer to shore for towing vessels-into official shipping safety fairways or other appropriate vessel routing measures. Analysis the sea space required for vessels to maneuver the development of marine planning guidelines that were included in the ACPARS report and that the workgroup considered identifying the navigation safety corridors in Appendix VII.
- The navigation corridors identified in **ACPARS** report included sea space between the route and structures to maneuver safely under emergency situations (i.e., a buffer comprised of 2 NM of space on each side of navigation route). The was an identification of navigation route width 5NM and a navigation safety corridor width of NM. The ANPRM published in June 2020



ACPARS Traditional Towing Vessel Route and Alternate Route

ACPARS Alternate Route with Buffer Zone

Atlantic Coast Towing Vessel Safety Corridor

2 NM

CPA

2.0 NM

Separation

Distance

of an

ones

of

led to

final

when

its

0.3 N

Navigation Route- 5 NM Width

Navigation Safety Corridor – 9 NM Width

2 NM

CPA

0.3 NM

Intended Route

Cross Track Error

Separation Distance

- Navigation Route Boundary

- Navigation Safety Corridor Boundary

2.0 NM

Separation


Distance

included towing vessel routes that varied in width from 5 to 10 NM.

• Another important issue discussed in the ACPARS report is the need to preserve traditional towing vessel routes offshore New Jersey and Delaware Bay. The ACPARS workgroup identified a navigation route through the proposed wind energy lease areas and recommended an alternative route following the marine planning guidelines and width recommendations, with the goal of minimizing conflicts with the areas proposed for development.


Shipping Safety Fairways along the Atlantic Coast (Docket No. USCG-2019-0279)

- On June 19, 2020, the Coast Guard published an ANPRM seeking comments on possible establishment of shipping safety fairways along the Atlantic Coast identified the ACPARS Study. This potential system fairways is intended to ensure the traditional navigation routes are kept free from obstructions that could impact navigation safety. The comment period closed on August 18, 2020.
- CG NAV at CGHQ used supplemental PARS from D1 and D5 to inform and draft Consolidated Port Approaches Study released in September 2022. This study will used to inform a rulemaking on Atlantic Coast Routings measures.



Supplemental Port Access Route Studies

 On March 15, 2019, the Coast Guard announced a study of port approaches and international entry and departure areas in the Federal Register (84 FR 9541). This study will consider access routes from ports along the Atlantic Coast to the navigation safety corridors the ACPARS report recommended



Supplemental PARS

On March 14, 2019, USCG announced it would be conducting supplemental PARS at its major east coast ports.

- Northern New York Bight (USCG-2020-0278), notice of study published June 29, 2020
- Seacoast of New Jersey and Approaches to Delaware Bay (USCG-2019-0862), notice of study published May 5, 2020
- Approaches to the Chesapeake Bay, VA (USCG-2020-0093), notice of study published November 27, 2019
- Seacoast of North Carolina and Approaches to the Cape Fear River and Beaufort Inlet, NC (USCG-2020-0172), notice of study published March 23, 2020


that we consider developing as fairways or other appropriate vessel routing measures. The ports to be considered in this study are economically important, support military operations, or have been identified to be strategically critical to national defense. The study will also examine areas associated with customary international trade routes seaward of the navigation safety corridors identified in the ACPARS. The creation of unimpeded transit lanes from the potential fairways outlined in the ACPARS final report to ports, and from those potential fairways to international

transit areas, would help ensure the safe and efficient flow of commerce and enhance national security.

• Similar to the ACPARS methodology, AIS data and information from shipping organizations will again be used to identify and verify the customary navigation routes that are followed by ships in open-water situations where no obstructions exist. This will allow the Coast Guard to identify areas where structures could jeopardize safe navigation and impede commerce. These studies will provide a mechanism to engage stakeholders with potentially competing uses of the waters of the U.S. EEZ in an effort to reduce impacts to those uses.

Seacoast of New Jersey and Approaches to the Delaware Bay (Docket Number USCG-2020-0172)


 On May 5, 2020, the Coast Guard announced a supplemental PARS to determine whether existing or additional routing measures are necessary along the seacoast of New Jersey and approaches to Delaware Bay.



- The comment period closed Jul 6, 2020. In response to four separate requests, the Coast Guard reopened the comment period for 30 days, and held virtual public meetings on Oct 29 and Nov 4, 2020. The comment period closed Nov 10, 2020.
- Note: offshore lightering and anchoring is critically important to the ports of the Delaware River, and the lease areas offshore Maryland and Delaware, if developed will displace these operations. In anticipation of this, the Coast Guard and the Mariners' Advisory Committee of the Delaware River and Bay identified potential anchorage areas to be formally designated outside the offshore wind projects. In May 2019, the Coast Guard learned that both the US Wind and Skipjack Offshore Wind projects were planning to run transmission lines through the largest of these areas identified as a potential future anchorage ground.
- As a result and in support of the NJ PARS, the Coast Guard Navigation Center completed an analysis of the Delaware Bay approaches to confirm the areas traditionally used for anchoring. On Dec 2, 2020, D5 forwarded the analysis to BOEM, the windfarm developers, and the maritime advisory committee.
- To address the conflicts between the lease areas, transmission lines, offshore anchoring, north-south tug and tow traffic, and the coastal and international traffic, the Coast Guard

Navigation Center completed an in-depth analysis of vessel traffic in the study area including towing vessels. On Feb 22, 2021, Sector Delaware Bay posted the analyses on their CG Homeport site. On Mar 9, 2021, D5 obtained informal feedback from key stakeholders on ideas regarding existing and potential routing measures and anchorage areas via a roundtable discussion and exchanging of ideas hosted by the Mariners' Advisory Committee for the Bay & River Delaware.

- Based on this feedback and consultations, the Fifth District published the following recommendations (See insert).




- Final Report published May 2022.

Anchorages

Anchorage Grounds; Delaware Bay and Atlantic Ocean, Delaware (Docket Number: USCG-2019-0822)

- On Nov 29, 2019, the Coast Guard published a notice of inquiry, request for comments, on the need to establish new anchorage grounds in the Delaware Bay and Atlantic Ocean. 42 comments were received.
- Initial analysis shows an overwhelming percentage of comments (66%) involved environmental concerns (including fuel bunkering spill concerns, endangered species concerns and sensitive areas in Anchorage B). 9 comments (21%) expressed concerns over view shed and



tourism impacts. 5 (12%) were supportive from maritime stakeholders. 3 (7%) were from wind energy proponents that expressed concerns about anchorage locations impacting planned electrical transmission line routes.

- On May 19, 2020, the Coast Guard held a conference call with Dr. Dewayne Fox from Delaware State University to better understand his research and concern regarding impacts from anchoring to the Atlantic Sturgeon in the Delaware Bay.
- The Coast Guard reopened the comment period for 30 days, and held virtual public meetings on Oct 29 and Nov 4, 2020. The comment period closed Nov 10, 2020.
- As part of the New Jersey PARS, the Coast Guard Navigation Center completed an analysis of the Delaware Bay approaches to identify areas traditionally used for anchoring. On December 2, 2020, D5 forwarded the anchorage analysis to BOEM, the windfarm developers, and the maritime advisory committee.
- The Coast Guard Navigation Center completed a subsequent and more in-depth analysis of vessel traffic within the study area to include a separate study focusing on towing vessels. On February 22, 2021, Sector Delaware Bay posted these analyses along with the anchorage analysis on their CG Homeport site in support of future stakeholder discussions.
- On Mar 9, 2021, D5 shared the analysis and obtained informal feedback from key stakeholders on ideas regarding existing and potential routing measures and anchorage areas. This roundtable discussion and exchanging of ideas was hosted by the Mariners' Advisory Committee for the Bay & River Delaware.

- Based on comments received and analysis conducted by the Navigation Center, D5 marine planners recommended the development of a NPRM to establish Anchorages C and D. That NPRM was published in the federal Register May 22, 2022 and received one comment.
- Final Rule effective August 11, 2022. MSIB 15-22.

Offshore Wind

Coast Guard's Role

- The US Coast Guard evaluates a proposed project's impact on the marine transportation system, safety of navigation, and the Coast Guard's ability to conduct its missions, and assists in the development of related mitigations.
- The Coast Guard does not evaluate potential impacts outside our expertise, nor do we approve or disapprove a specific project.




Figure 3. U.S. North Atlantic and Great Lakes offshore wind energy pipeline and Call Areas as of May 31, 2022. Map created by NREL





Figure 4. South Atlantic and Gulf of Mexico offshore wind pipeline and Call Areas as of May 31, 2022. Map created by NREL

Source for Figure 3 and 4: DOE Offshore Wind Market Report, 2022 Edition

BOEM Authorization Timeline and Touchpoints with Coast Guard as a Cooperating Agency


 The Bureau of Ocean Energy Management (BOEM) is responsible for offshore renewable energy development in Federal waters. As the federal agency principally responsible for issuing leases, easements and rights of way for renewable energy development, BOEM bears

the primary responsibility for coordinating environmental reviews and preparation of an Environmental Impact Statement. During the authorization process, BOEM provides the Coast Guard the opportunity to review a developer's plans at multiple stages.




Procurement Timeline by State

- On January 27, 2021, the President signed Executive Order 14008 setting forth the commitment of the United States "to organize and deploy the full capacity of its agencies to combat the climate crisis to implement a Government-wide approach that reduces climate pollution in every sector of the economy; increases resilience to the impacts of climate change; protects public health; conserves our lands, waters, and biodiversity; delivers environmental justice; and spurs well-paying union jobs and economic growth, especially through innovation, commercialization, and deployment of clean energy technologies and infrastructure."
- Prior to this EO, many States had developed their own offshore wind policies and permitting goals that have been driving demand.



Source: DOE Offshore Wind Market Report, 2022 Edition



Source: DOE Offshore Wind Market Report, 2022 Edition

New York/New Jersey

In February 2022, BOEM auctioned six lease areas in the New York Bight (see inserted images below). This auction was the first held in the United States since three lease areas in the Massachusetts WEA were auctioned in 2018 for about \$154 million each. Lease areas in the New York Bight auction ranged from \$285 million to \$1.1 billion, for a total of \$4.37 billion for all six lease areas, which increased the pipeline capacity by at least 5,600 MW. The New York Bight winning bids set new records for offshore wind lease prices. The new leases also added several new developers, including Engie, Total Energies, RWE, and Invenergy. When developed, electricity from these new lease areas is likely to be sold to either New York or New Jersey, which have made policy procurement mandates of 9,000 MW and 7,500 MW respectively.




Figure 8. New York Bight leasing area map. Map created by BOEM Source: DOE Offshore Wind Market Report, 2022 Edition

Lease Number	Purchaser	Developer	Area (km ²)	Capacity (MW)	Price	Price per km ²
0CS-A 0544	Mid-Atlantic Offshore Wind LLC	CIP	174	523	\$285,000,000	\$1,637,931
0CS-A 0537	OW Ocean Winds East LLC	EDPR and Engie	289	868	\$765,000,000	\$2,647,059
0CS-A 0538	Attentive Energy LLC	Total Energies	321	964	\$795,000,000	\$2,476,636
OCS-A 0539	Bight Wind Holdings LLC	RWE and National Grid	462	1,387	\$1,100,000,000	\$2,380,952
0CS-A 0541	Atlantic Shores Offshore Wind Bight LLC	Shell and EDF	308	924	\$780,000,000	\$2,532,468
0CS-A 0542	Invenergy Wind Offshore Wind LCC	Invenergy and EnergyRE	311	934	\$645,000,000	\$2,073,955

Table 7. New York Bight Lease	Area Auction Results
-------------------------------	----------------------

- Source: DOE Offshore Wind Market Report, 2022 Edition

New Jersey

- State Commitments: On Nov. 19, 2019, New Jersey more than doubled its target for offshore-wind energy production under an executive order (EO No. 92) signed by Gov. Phil Murphy. The EO raises NJ's goal from 3.5 GW of offshore wind-energy generated electricity by 2030 to 7.5 GW by 2035. The New Jersey Board of Public Utilities granted the state's first award for offshore wind to Ørsted's Ocean Wind 1,100 MW project. In Jan 2020, Gov Murphy signed an offshore wind solicitation bill into law which expanded the definition of a "qualified offshore wind project" to include "offshore wind transmission facilities." On Mar 3, 2020, the State released its timetable for its 7.5GW offshore wind procurement program, which calls for solicitations of 1.2 GW in Q3 2020, Q3 2022, Q3, 2024, followed by solicitations for 1.4 GW in Q3 2026 and Q3 2028. On Sep 9, 2020, the State opened the application window for its second offshore wind solicitation, inviting all interested parties to submit applications for consideration by Dec 10, 2020. Atlantic Shores and Orsted/Ocean Wind both submitted applications.
- On Nov 30, 2020, the State issued a Request of Qualifications for construction management services for its first-of-its-kind offshore wind manufacturing and marshalling facility located in Lower Alloways Creek. Construction of the NJ Wind Port is planned in two phases, beginning in 2021. Phase 1, which is currently underway, will comprise the development of an approximately 30-acre site to accommodate marshalling activities and an approximately 35-acre Tier 1 component manufacturing site. Phase 2 adds a further 150 acres or more to accommodate expanded marshalling activities and extensive manufacturing facilities for turbine components like blades and nacelles. On Jun 30, NJ awarded 2.7 GW of offshore power; 1.51 GW to Atlantic Shores and 1.148 GW to Orsted and its new Ocean Wind 2 project.

<u>Delaware</u>

- The state has set a target of achieving 40% renewable energy by 2035.

<u>Maryland</u>

State Commitments: Maryland's Offshore Wind Energy Act of 2013 amended the state's _ renewable energy portfolio standard to include offshore wind and to provide financial support for projects in the form of Offshore Wind Renewable Energy Credits (ORECs). In May 2017, the Maryland Public Service Commission (PSC) awarded both Orsted and US Wind Offshore Wind Renewable Energy Credits (OREC) for 120 MW and 248 MW respectively, and Orsted and US Wind agreed to invest \$115 million in port infrastructure and steel fabrication facilities in Baltimore. In its announcement, Maryland estimated the projects would create 9,700 full time equivalent jobs and result in more than \$2 billion of economic activity for the state. In May 2019, the state passed an offshore wind mandate of 1.2 GW by 2030. Maryland is in the process of issuing a second round of ORECs, which will consider 3 application periods: Jan 1, 2020 for projects to begin creating (400 MW) ORECs not later than 2026 (announcements expected soon); Jan 1, 2021 for projects to begin creating (800 MW) ORECs not later than 2028; and Jan 1, 2022 for projects to begin creating (1,200 MW) ORECs not later than 2030. In Jun 2021, both US Wind and Orsted submitted bids to the Maryland Public Service Commission, which intends to award 440 MW of ORECs by the end of CY2021.

For a list of all OREI projects and their current status - see Table below. For more information on each project, please visit BOEM's website. <u>State Activities | Bureau of Ocean</u> <u>Energy Management (boem.gov)</u>

Geographic Location	Lease Number	Area (km ²)	Date Issued	Project(s) Being Developed in Lease Area	Status
Delaware	0CS-A 0482	284	2012	Garden State Offshore Energy Skipjack 2	SAP Approved (COP Not Submitted)
Virginia	OCS-A 0483	456	2013	Coastal Virginia Offshore Wind - Commercial	COP Submitted – Notice of Intent (NOI) for Environmental Impact Statement (EIS)
Massachusetts/Rhode Island	0CS-A 0486	339	2013	Revolution Wind	COP Submitted – NOI for EIS
Massachusetts/Rhode Island	0CS-A 0517	55	2013	South Fork	ROD Approved – Under Construction
Massachusetts/Rhode Island	0CS-A 0487	445	2013	Sunrise Wind 1	COP Submitted – NOI for EIS
Maryland	0CS-A 0490	323	2014	MarWin	SAP Approved (COP Not Submitted)
Massachusetts	0CS-A 0500	586	2015	Bay State Wind	COP Submitted
Massachusetts	0CS-A 0501	264	2015	Vineyard Wind 1	ROD Approved – Under Construction
Massachusetts	OCS-A 0534	411	2015	Park City Wind Commonwealth Wind	COP Submitted – NOI for EIS
New Jersey	0CS-A 0498	306	2016	Ocean Wind 1	COP Submitted – NOI for EIS
New Jersey	0CS-A 0532	344	2016	Ocean Wind 2	COP Submitted – NOI for EIS
New Jersey	0CS-A 0499	742	2016	Atlantic Shores Offshore Wind	COP Submitted – NOI for EIS
North Carolina	0CS-A 0508	495	2017	Kitty Hawk	COP Submitted – NOI for EIS
New York	0CS-A 0512	321	2017	Empire Wind 1 & 2	COP Submitted – NOI for EIS
Delaware	0CS-A 0519	107	2018	Skipjack 1& 2	SAP Approved (COP Not Submitted)
Massachusetts	0CS-A 0520	521	2018	Beacon Wind	SAP Approved (COP Not Submitted)
Massachusetts	OCS-A 0521	516	2018	Mayflower Wind 1 & 2 Shell/Kent HOE/Ocergy Demonstration	COP Submitted – NOI for EIS
Massachusetts	0CS-A 0522	536	2018	CIP Massachusetts	SAP Approved (COP Not Submitted)
New York/New Jersey	0CS-A 0544	174	2022	Mid-Atlantic Offshore Wind	Provisional Auction Winner
New York/New Jersey	OCS-A 0537	289	2022	OW Ocean Winds East	Provisional Auction Winner
New York/New Jersey	0CS-A 0538	321	2022	Attentive Energy	Provisional Auction Winner
New York/New Jersey	OCS-A 0539	462	2022	Community Wind	Provisional Auction Winner
New York/New Jersey	0CS-A 0541	308	2022	Atlantic Shores Offshore Wind Bight	Provisional Auction Winner
New York/New Jersey	0CS-A 0542	311	2022	Invenergy Wind Offshore	Provisional Auction Winner
North Carolina	OCS-A 0545	222	2022	Total Energies	Provisional Auction Winner
North Carolina	0CS-A 0546	223	2022	Duke Energy	Provisional Auction Winner

Table 6. U.S. Federal Offshore Wind Lease Permitting Status as of May 31, 2022

Source: DOE Offshore Wind Market Report, 2022 Edition

<u>Note</u>: As of April 20, 2021, the Fifth Coast Guard District Local Notice to Mariners (LNM) includes an enclosure exclusively dedicated to Offshore Renewable Energy Installations (OREI) projects, survey operations, and construction activities. New articles will run for three weeks in the LNM's General Section and the OREI Enclosure. After three weeks, articles will be removed from the General Section and will remain in the OREI Enclosure until completed. Coast Guard LNMs are published weekly and are accessible online at https://www.navcen.uscg.gov/.

Fifth District Point of Contact

Mr. Matthew Creelman

Marine Information Specialist

U.S. Coast Guard Fifth District

Branch Email: CGD5Waterways@uscg.mil

Office: 757 398-6230

USACE PHILADELPHIA DISTRICT

MAC MEETING

MAC Meeting Presentation Timothy J. Kelly, P.E., Deputy Chief Operations Division Timothy J. Rooney, Project Manager 09MARCH2023

"The views, opinions and findings contained in this report are those of the authors(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other official documentation."





RUNHEADS CAN BE

ESTRESSED CONCRET

Delaware River, Philadelphia to Sea & Wilmington Harbor

• The FY22 maintenance dredging contract was awarded to Norfolk Dredging on 27 September 2022.

Contract #W912BU-22-C-0040			
Norfolk Dredging Company			
<u>Month/Year</u>	Maintenance Dredging Location		
Nov 2022	Wilmington Harbor		
Dec 2022	Wilmington Harbor		
Jan 2023	Marcus Hook Range		
Feb 2023	Marcus Hook Range		
Mar 2023	New Castle Range		
Apr 2023	New Castle Range		
May 2023	Deepwater Point Range		
Jun 2023	Deepwater Point Range		





Delaware River, Philadelphia to Sea

- Norfolk Dredging Company (NDC) completed Marcus Hook Range dredging operations late-February, removed ~1Mcy of shoal from the Federal Channel. New Castle Range is going to be the next dredging orders issued.
- The Hopper Dredge McFarland is in the shipyard for steel work and anticipated to be out of the shipyard in late Spring 2023.
- Due to the McFarland's extended shipyard, GLDD's Dodge Island Hopper Dredge dredged Delaware Bay, 24Oct2022-28Dec2022. Approximately 900Kcy were dredged from Miah Maul & Brandywine Ranges with placement at the open water placement site known as Buoy 10.
- A recent contract award to Northstar Marine Inc removed several objects that have been identified on channel exam surveys for the Delaware River projects. This work was completed on January 24, 2023.





Delaware River, Philadelphia to Trenton

 The next dredging solicitation (FY23) will be for bucket dredging only, between the Tacony Palmyra Bridge and Newbold Island as well as the Fairless Turning Basin, with advertisement currently scheduled for early April.

Wilmington Harbor

 The FY22 maintenance dredging began 10 November 2022 was completed on 13 December. FY23 Dredging will again be consolidated with the Philly to Sea Maintenance Dredging Contract, currently scheduled for advertisement in late June.





C & D Canal

- The Chesapeake City Bridge construction project is currently reducing the bridge air gap. The safespan work platform is in place along the southern half of the main span and is reducing the air gap by 18 inches. Work on the main span will be limited to 1/2 of the main span/channel at a time. The work is expected to move to be completed in April 2023.
- Construction has begun on the St. Georges Bridge. This project will replace the existing bridge deck and require the bridge to be closed to vehicular traffic for 18 months starting April 4, 2023. This work is not expected to reduce the air gap beneath the bridge. A barge will be attached to the water piers and will encroach into the federal channel by approximately 30' during work hours. Outside of work hours the barge will be moved out of the channel. The barge can be moved out of the navigation channel with 2 hours notice.
- Maintenance dredging in the Upper Chesapeake is ongoing and will conclude in March 2023.





Salem River

- Four days of maintenance dredging was conducted in February 2023 by the Government Dredge Murden in the "bend" area of the channel with sand placement in the nearshore of Oakwood Beach.
- Advertisement of a dredging contract is anticipated in April 2023 as a Request for Proposal. Work under the contract will clear remaining fine-grained sediment and beneficially place the dredged material in USFWS's Supawna Meadows to restore marsh.
 - Dredging under the contract will occur in the lower part of the river between Stations 3+000 and 15+500 to the authorized depth of 16 ft MLLW with 1 ft of allowable overdepth.
 - Estimated quantity is 190,000 cy total.
 - It is anticipated that dredging can occur between July 2023 and end of Feb 2024, but waiting on environmental consultations to be completed.







NJ Intracoastal Waterway, Cape May Ferry Channel

- Four days of maintenance dredging to be completed in early March 2023 by the Government Dredge Murden at the ferry entrance with beneficial use placement in the nearshore of Cape May Point.
- Dredging to maintain the channel between the Cape May Lewes ferry facility and Rutgers aquaculture facility will begin in early March under a contract with Barnegat Bay Dredging Co. Material will be placed upland into USACE's Cape May Ferry CDF.
- A new contract will be advertised in late 2023 for maintenance dredging in 2024.










NOAA OCS update

March, 2023

Ryan Wartick – Office of Coast Survey <u>Ryan.Wartick@noaa.gov</u> 757-268-8164



Office of Coast Survey National Oceanic and Atmospheric Administration



MOLA WYSIGM

Buzzard: Bay Entrance Light

H(1)W6+20m9M

Muskeget Channel

Edgartown

Cross Her London Her L





FY23 NOAA Hydrographic Survey Projects

Atlantic Coast

Pacific Coast Gulf of Mexico

Great Lakes Alaska

Atlantic Coast Regional Map Appr

Approaches to New York

Southwest Chesapeake Bay River...

Albemarle Sound


d Approaches to Wilming

Southwest Chesapeake Bay Rivers

OPR-E351-KR-23

Contractor TBD

This 500 square nautical mile project spans four rivers in the southwestern Chesapeake Bay Watershed: the Potomac, Rappahannock, James, and York Rivers.







FY23 NOAA Hydrographic Survey Projects

Atlantic Coast

Pacific Coast

Gulf of Mexico Grea

Great Lakes A

Alaska Pacif

Atlantic Coast Regional Map

Approaches to New York


Southwest Chesapeake Bay River...

Albemarle Sound


Approaches to Wilmingtor



NOAA Ship Ferdinand R. Hassler










North

Sea



47

61

°¦38359_

², 68

72

72 72

53 65

59 89 71

50 53

83

Size

r 1 S

131 KB

57

Туре

JSON File

NOG

Date modified

3/6/2023 7:46 AM

١X

Add Selected Charts to Chart Catalog ->

Catalog changes will be lost if you close the application before clicking "Save Chart Catalog".

83 80 s

91 89 71 77 89 131

85 88 101 107 83 137 131 137 1343

155

(3383

28\$17(2015)

102

\ 100

73




Name

CCT_Catalog_PBE.json

5309

4445 4721


4421 5213



Raster Chart Status as of March 2, 2023

FICOR 414M

Canceled	348
Last Edition	+ 175
Subtotal	523
Active Charts	+ 484
Total	1007
Active 48%	Last Edition 17% Cancelled 35%



484 charts / 15 months = 32 last editions per month through June 2024 to complete sunset by Jan 2025.





NOAA OCS update

March, 2023

Ryan Wartick – Office of Coast Survey <u>Ryan.Wartick@noaa.gov</u> 757-268-8164



Office of Coast Survey National Oceanic and Atmospheric Administration

Air gap and current meter station Instrument performance stats.

Criteria - Percentages report of data which 1- Passed preliminary Quality Control (public dissemination = ON) 2- Data were 18 minutes old or less when populated into the database

12/01/2022-02/28/2023 Delaware Memorial Bridge Air Gap – 100.0% Ben Franklin Air Gap – 98.7% Reedy Point Air Gap – 100.0 % Chesapeake City Gap – 98.8%

db0301 (Philadelphia) currents – 99.8% db0502 (Brown Shoal LB10) currents – 97.7%

All water level stations in the river and bay (11 of them) reported 94% and above data returns for the three month period.

Other updates:

- COMPLETED: Upgrade in primary water level technology at Delaware City. That went operational in January microwave radar. There was pier construction and we are now looking into upgrading the backup water level technology as well. We may not reinstall water temperature sensor here.
- PLANNED: Work at Brandywine Shoal Light to bring wind and air temp data back online. Plans to install a second (backup) water level sensor. Working out access and safety issues at the light with private owner.
- PLANNED: Annual service visit at the Marcus Hook Station planned for March/April.
- Working on renewing MOA with PRPA for Delaware River PORTS program financial support.



NOAA Delaware Bay & River Tidal Current Survey

Katie Kirk (katie.kirk@noaa.gov) NOAA's Center for Operational Oceanographic Products and Services (CO-OPS) Coastal and Estuarine Circulation Analysis Team (CECAT)

Delaware MAC Meeting March 2023




Tidal Current Survey Overview

Objective: Collect recent tidal current data to update the tidal current predictions to help support safe and efficient navigation

Why? - Outdated data & technology, dredging, natural changes, etc.

How? - Temporary current meter deployments

- 2019: 1 station (db1935 Petty Island)
- 2021: 35 stations (DEB21##)




Tidal Current Survey Results

2019 Deployment:

• db1935, Petty Island collected good data!

2021 Survey:


- 31/35 stations collected good data!
- 4 / 35 stations had equipment or sensor failures limiting the days of good data
 - DEB2120, Marcus Hook
 - DEB2125, Schuylkill River Entrance
 - DEB2127, Eagle Point, 0.2 nm northwest of
 - DEB2136, Test at Schuylkill River Entrance



Lost Equipment Not Recovered

1 anchor (railroad wheel) at DEB2101, Delaware Bay Entrance (38.78129, -75.04296) due to the mount releasing early

1 Clamparatus mount at DEB2132, Edgewater Range at Devlin Range (40.0779, -74.88517) due to a vessel allision with buoy 40



NOAA's Center for Operational Oceanographic Products & Services

Lost Equipment Not Recovered

Anchor + lower bucket



Note: this is an example of the mount. Mount was on red buoy 40



Tidal Current Predictions

NEW UPDATED PREDICTIONS HERE:


https://tidesandcurrents.noaa.gov/noaacurrents/ Stations?g=450

2019 Deployment:

• db1935 predictions have been available since Jan. 2020

2021 Survey:

• 31 stations have updated predictions!



Station Changes

Update history: https://tidesandcurrents.noaa.gov/current_pred_stn_history.html

Stations have multiple depths for current predictions

NAME	ID.	LAT	LON	PREDICTIONS
DELAWARE BAY and RIVER				
Cape May Channel	ACT4056	38.9000° N	74.9667° W	Subordinate
Cape May Point, 1.4 n.mi. SSW of (Depth 15ft)	ACT4061	38.9062° N	74.9780° W	Subordinate
Cape May Point, 1.4 n.mi. SSW of (Depth 25ft)	ACT4061	38.9062° N	74.9780° W	Subordinate
Cape May Point, 2.7 n.mi. SSW of (Depth 15ft)	ACT4066	38.8900° N	74.9855° W	Subordinate
Delaware Bay Entrance Channel (Depth 5ft)	DEB2101	38.7813° N	75.0430° W	Harmonic
Delaware Bay Entrance Channel (Depth 15ft)	DEB2101	38.7813° N	75.0430° W	Harmonic
Delaware Bay Entrance Channel (Depth 44ft)	DEB2101	38.7813° N	75.0430° W	Harmonic

Stations have new ID's and may have new names in comparison with the historic name

Thank You!

Thanks to all of the Pilot Captains and navigational community who contributed to station list input! Especially,

- Capt. Stewart Griffin
- Capt. Nick Warmouth
- Capt. Drew Hodgens

Questions?

• Contact: Katie Kirk (katie.kirk@noaa.gov)

